WHEREAS OLD GROVE LIMITED PARTNERSHIP and BROADLAND LIMITED
PARTNERSHIP are the owners of a tract of land situated in the D.J. Beddo Survey, Abstract No. 232, the Mary M. Freeman Survey, Abstract No. 533 and the William E. Crook Survey, Abstract No. 295, City of Colleyville, Tarrant County, Texas, being all of Lots 45, 46x and 47x, Block A of WHITTIER HEIGHTS, PHASE I, an addition to the City of Colleyville, Tarrant County, Texas as recorded in Cabinet A, Slide 8667 of the Plat Records of Tarrant County, Texas (PRTCT), being that same tract of land as described in Special Warranty Deed to Old Grove Limited Partnership, recorded in Volume 16469, Page 37 of the Deed Records of Tarrant County, Texas, being all of Tract I as described in deed to Broadland Limited Partnership, recorded in Volume 15871, Page 203, DRTCT, being a portion of Tract II and Tract III as described in deed to Broadland Limited Partnership, recorded in Volume 15345, Page 4, DRTCT, being a portion of a called 34.710 acre tract of land as described in deed to Broadland Limited Partnership, recorded in Volume 15871, Page 205, DRTCT and being more particularly described as follows: EGINNING at a 1/2" rebar capped set at the most easterly southeast corner of said Lot 46: lock A of said Whittier Heights, Phase I, the southwest corner of said Old Grove Limited artnership tract and the southeast corner of said Broadland Limited Partnership Tract III;

THENCE S 00°28'21" W, along an east line of said Lot 46X, Block A and the west line of said City of Colleyville tract, a distance of 316.21 feet to a 1/2" rebar capped set at the most southeast corner of said Lot 46X, Block A, from which a 1" steel pipe found bears S 00°28'21" W, 966.56 feet; THENCE S 89°12'27" W, along a south line of said Lot 46X, Block A, a distance of 77.19 feet to a 1/2" rebar found at a reentrant corner of said Lot 46X, Block A and the northwest corner of tract of land as described in deed to the City of Colleyville, recorded in Volume 12651, Page 5 DRTCT, from which a 5/8" rebar found at an angle point in the north line of said City of Colleyville tract bears S 89°53'31" E, 697.96 feet (Deed 697.98 feet);

THENCE along the easterly line of said Providence Road (R.O.W. varies), as follows: HENCE N 89°31′39" W, departing the west line of said City of Colleyville tract, along the outh line of said Lot 46%, Block A, a distance of 5.00 feet to a 1/2" rebar capped set in ine of Providence Road (40' R.O.W. at this point per Cabinet A, Slide 8667, PRTCT) at the outhwest corner of said Lot 46%, Block A;

N 89°12'27" E, non tangent to said curve, a distance of 5.08 feet to a 1/2" rebar capped set at the point of curvature of a non tangent circular curve to the left, having a radius point that bears S 79°08'22" W, 325.00 feet; N 00°28'21" E, a distance of 252.20 feet to a 1/2" rebar capped set at the point curvature of a circular curve to the left, having a radius of 320.00 feet; Northwesterly, along said curve, having a central angle of 11°29'32", an arc distance of 64.18 feet and a chord that bears N 05°16'25" W, 64.08 feet to a 1/2" rebar capped set;

N 39°53'07" W, a distance of 42.21 feet to a 1/2" rebar capped set at the most westerly corner of said Lot 45, Block A and the most southerly corner of Lot 44, Block A of said Whittier Heights, Phase I; Northwesterly, along said curve, having a central angle of 29°01'29", an arc distance of 164.64 feet and a chord that bears N 25°22'23" W, 162.88 feet to a 1/2" rebar capped sat the point of tangency;

THENCE N 39°53'07" W, along the northeasterly line of said Lot 44, Block A and Lots 43 and 42, Block A of said Whittier Heights, Phase I and the southwesterly line of said Lot 47X, Block A, a distance of 270.00 feet to a 1/2" rebar capped set at the most northerly corner of said Lot Block A and a reentrant corner of said Lot 47X, Block A; THENCE N 50°06'53" E, departing the northeasterly line of said Providence Road, along a northwesterly line of said Lot 45, Block A and the southeasterly line of said Lot 44, Block A, a distance of 170.00 feet to a 1/2" rebar capped set at the most northerly corner of said Lot 45, Block A and the most easterly corner of said Lot 44, Block A, said point lying in the southwesterly line of said Lot 47%, Block A;

THENCE N 39°53'07" W, along the northeasterly line of said Providence Road and a southwesterly line of said Lot 47X, Block A, a distance of 30.00 feet to a 1/2" rebar the most southerly corner of Lot 41, Block A of said Whittier Heights, Phase I; THENCE S 50°06'53" W, along the northwesterly line of said Lot 42, Block A and a reentrant line of said Lot 47X, Block A, a distance of 170.00 feet to a 1/2" rebar capped set in the northeasterly line of said Providence Road, at the most westerly corner of said Lot 42, Block

THENCE N 50°06'53" E, departing the northeasterly line of said Providence Road, along the southeasterly line of said Lot 41, Block A and a reentrant line of said Lot 47X, Block A, a distance of 170.00 feet to a 1/2" rebar capped set at the most easterly corner of said Lot 41, Block A and a reentrant corner of said Lot 47X, Block A;

THENCE N 39°53'07" W, along the northeasterly line of said Lot 41, Block A and the southwesterly line of said Lot 47X, Block A, a distance of 90.00 feet to a 1/2" rebar capped the most northerly corner of said Lot 41, Block A, said point lying in the southeasterly line 39, Block A of said Whittier Heights, Phase I;

THENCE along the east line of said Whittier Heights, Phase I and the west Grove tract, as follows: THENCE N 50°06'53" E, along the northwesterly line of said Lot 47X, Block A and the southeasterly line of said Lot 39, Block A and the southeasterly line of Lot 38, Block A of Whittier Heights, Phase I, a distance of 109.22 feet to a 1/2" rebar capped set at the most northerly corner of said Lot 47X, Block A;

N 60°27'11" E, a distance of 138.12 feet a 1/2" rebar capped set;

N 00°31'18" W, a distance of 395.74 feet to a 1/2" rebar capped set at the northeast corner of said Whittier Heights, Phase I and the northwest corner of said Old Grove tract, said point lying in the south line of Vanguard Estates, an addition to the City of Colleyville, Tarrant County, Texas as recorded in Cabinet A, Slide 4761, PRTCT, from which a 1/2" steel pipe found bears S 89°28'42" w, 26.84 feet; N 41°48'20" E, a distance of 239.42 feet a 1/2" rebar N 30°03'00" E, a distance of 53.71 feet a 1/2" rebar capped set; capped set;

1. The bearings shown hereon are referenced to the closing call (N 00°02'48" W) along the we line of the final plat of Westmont as recorded in Cabinet A, Slide 6060 of the Plat Records Tarrant County, Texas.

2. According to the Federal Emergency Management Agency Flood Insurance Rate Map No. 48439C0195 H, revised August 2, 1995, a portion of Lot 1X, Block F appears to lie in ZONE X SHADED (Areas of 500-year flood; areas of 100-year flood with average depths of less that 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 10 flood). All other lots appear to lie in ZONE X NON SHADED (Areas determined to be outside 500-year floodplain)

Emergency Management Agency Flood Insurance Rate Map No. t 2, 1995, a portion of Lot 1X, Block F appears to lie in ZONE ar flood; areas of 100—year flood with average depths of less than as less than 1 square mile; and areas protected by levees from 100-ar to lie in ZONE X NON SHADED (Areas determined to be outside

. corners are 1/2" rebar otherwise noted.

with yellow plastic cap stamped

THENCE N 89°28'42" E, along the north line of said Old Grove tract and the south of said Vanguard Estates, a distance of 203.81 feet to a 1/2" rebar capped set at the location of a rebar capped stamped "BMI Surveyors" previously found (now obliterated) at an angle point in the north line of said Old Grove tract, at the southeast corner of said Vanguard Estates and southwest corner of a tract of land as described in deed to Michael W. Aycock and Janet Gail Aycock, recorded in Document No. D204094474, DRTCT, from which a 5/8" rebar capped stamped "BMI Surveyors" found bears N 00°22'50" E, 154.35 feet (Aycock Deed 154.34 feet);

THENCE N 89°40'56" E, along the north line of said Old Grove tract and the south of said Aycock tract, a distance of 76.46 feet (Aycock deed 76.6 feet) to a 5/8" rebar found at an point in the north line of said Old Grove tract and the south line of said Aycock tract; THENCE N 89°53'01" E, along the north line of said Old Grove tract and the south of said Aycock tract, a distance of 661.42 feet (Aycock deed 661.38 feet) to a bolt found at an angle point in the north line of said Old Grove tract and the most southerly southeast corner of said angle

NDATORY OWNERS MAINTENANCE ASSOCIATION WILL PROVIDE TENANCE OF PLANT MATERIAL AND GRADE ELEVATION IN ALL ATE OPEN SPACE LOTS AND LANDSCAPE EASEMENTS.

BROADLANI
BY: THE DAY

THENCE N 70°08'54" E, along a south line of said Aycock tract, a distance of 57.75 feet (Aycock deed 57.84 feet) to a 5/8" rebar found;

THENCE N 87°08'19" E, along a south line of said Aycock tract and a north line of said Old Grove tract, a distance of 79.56 feet (Aycock deed 79.54 feet) to a 5/8" rebar found;

THENCE N 59°26'00" E, along a south line of said Aycock tract and a north line of said Old Grove tract, a distance of 88.03 feet (Aycock deed 87.87 feet) to a 5/8" rebar found in the wes line of John McCain Road (County Road No. 3036, R.O.W. varies) at the most northerly northeast corner of said Old Grove tract and the most easterly southeast corner of said Aycock tract, from which a 1/2" rebar found bears N 23°35'43" W, 50.06 feet (Aycock Deed 50.18 feet);

THENCE S 25°20'11" E. along the west line of said John McCain Road and the east line of said Old Grove tract, at a distance of 63.91 feet passing a 1/2" rebar found, said point being 0.39 feet northeasterly of line, continuing a total distance of 314.33 feet to a 5/8" rebar found at an angle point in the westerly line of said John McCain Road;

THENCE S 45°51'30" E. along the westerly line of said John McCain Road and an east line of said Old Grove tract, a distance of 26.07 feet to a 1/2" rebar found at the most easterly corner of said Old Grove tract and the most northerly corner of a dedication for right of way as set out by Tarrant County, Texas as recorded in Volume 388–123, Page 64, PRTCT, from which a 1/2" rebar found at the northeast corner of said Neidholt Addition bears S 84°32'14" E. 108.43 feet (Plat 108.49 feet) and a 3/8" rebar found bears S 76°32'02" w, 6.00 feet;

THENCE S 50°50'54" W, departing the westerly line of said John McCain Road, along the northerly line of said right of way dedication and a reentrant line of said Old Grove tract, a distance of 182.40 feet (Plat 182.5 feet) to a 5/8" rebar found, from which a 1/2" rebar found bears N 30°58'45" W, 1.39 feet;

THENCE S 61°23'59" W. along the northerly line of said right of way dedication and a reentrant line of said Old Grove tract, a distance of 131.86 feet (Plat 132.1 feet) to a square steel stake found a reentrant corner of said Old Grove tract and the northwest corner of said right of way dedication;

THENCE S 15°12'36" E, along an east line of said Old Grove tract and the west line of said Neidholt Addition, a distance of 248.30 feet (Plat 248.22 feet) to a 1/2" rebar capped set at southwest corner of said Neidholt Addition, from which a 1/2" rebar found bears N 21°35'36" E, 0.76 feet;

THENCE N 89°54′50″ E, along a reentrant line of said Old Grove tract and the south line of said Neidholt Addition, at a distance of 77.18 feet passing a 5/8″ rebar found, said point being 0.25 feet to the south of line, continuing a total distance of 299.60 feet (Plat 299.56 feet) to a 1/2″ rebar found at the southeast corner of said Neidholt Addition and the most easterly northeast corner of said Old Grove tract, said point being an angle point in a west line of Westmont, an addition to the City of Colleyville, Tarrant County, Texas as recorded in Cabinet A, Slide 6060, N 00°3′30″ E, 393.42 feet, a 1/2″ rebar found in the east line of said Neidholt Addition bears N 00°03′30″ E, 407.11 feet (Plat 407.49 feet), and a 60d nail found at the northwest corner of said Neidholt Addition of said Westmont bears N 00°32′06″ E, 406.58 feet (Plat 406.57 feet);

THENCE S 00°02'48" E (Reference Bearing), along the west line of said Westmont and the east line of said Old Grove tract, a distance of 910.91 feet (Plat 911.04 feet) to a cut "x" set on top a rock column at the location of a 5/8" rebar previously found (now obliterated) at a reentrant corner of said Westmont and the southeast corner of said Old Grove tract, from which a 3/8" rebar found bears S 08°52'56" E, 2.51 feet;

THENCE N 89°41'15" W, along the south line of said Old Grove tract, a distance of 515.65 to a 1/2" rebar capped set, from which a 1/2" rebar found bears S 68°58'41" E, 1.43 feet; THENCE N 89°15'23" W, along a north line of said Westmont and the south line of said Old Grove tract, a distance of 418.81 feet (Plat 418.81 feet) to a 1/2" rebar capped set at an angle point in the north line of said Westmont; NCE N 89°30'11" W, departing the north line of said Westmont, along the south line of said Grove tract, a distance of 405.39 feet to a 1/2" rebar found;

the

THENCE S 89°12'27" W. along the south line of said Old Grove tract, a distance of 148.03 feet to the POINT OF BEGINNING and containing 2,050,803 square feet or 47.080 acres of land.

N 050069

on any of these easements, a egress to and from and upon inspecting, and patrolling, w anyone. This plat approved of the City of Colleyville, ALL PERSONS BY THESE PRESENTS:
ED PARTNERSHIP and BROADLAND LIMITED PARTNERSHIP,
t this plat designating the hereinbefore described property as OLD
dition to the City of Colleyville, Tarrant County, Texas, and do
umple to the public use forever all streets, rights-of-way, and alleys shown
reserve the utility easements shown on this plat for the mutual use and
public utilities desiring to use or using the same. Except for within any
public utility shall have the right to remove and keep removed all or part
so, trees, shrubs or other improvements or growths in which any ways
with the construction, maintenance or efficiency of its respective systems
ents, and any public utility shall at all times have the right of ingress and
d upon the said easement for the purpose of constructing, reconstructing,
ing, without the necessity at any time of procuring the permission of
roved subject to all platting ordinances, rules, regulations, and resolutions
'ille, Texas.

A

Witness my hand this the day of\_ DECompas 2004

84. BCD GROVE LIMITED PARTNERSHIP
DAYID BAGWELL COMPANY, its general
COMPANY, its general
David S. Bagwell, President

BROADLAND LIMITED PARTNERSH
By: DAWID BAGWEAL COMPANY
By: David S. Bagwell, Presi ident

LIENHOLDER: Witness my hand this the

By: August Thuse Name: Chyland E. Chushe Its: Same Wie Respent

STATE OF TELLOW

Before me, the undersigned Nappeared David S. Bagwell, k foregoing instrument and ack considerations therein expre Notary Public in known to me to l acknowledged to my pressed, and in th in and for said county and State on this day personally to be the person whose name is subscribed to the me that he executed the same for the purpose and the capacity therein stated.

A. 9807

Given under my hand and seal of office this.

Once / Once .day of\_ December

STATE OF TELLAGENT e me on the 17 day of the Senior Fire Diesident association.

This instrument was acknowledged before association, on behalf of said banking as

2004, by

CONNIE TINNER
NOTARY PUBLIC
STATE OF TEXAS
My Comm. Exp. 01-27-2008

CONNIE TINNER
NOTARY PUBLIC
STATE OF TEXAS
My Comm. Exp. 01-27-2008

Wotary Public, State of Texas My Commission expires: /:a7.08

SURVEYOR'S CERTIFICATE

I, Joel S. Barton, a Registered Professional Land Surveyor of the State of Texas do hereby declare that the plat shown hereon accurately represents the property as betermined by an on the ground survey made under my direction and that all required nonuments and markers actually exist or will be placed in accordance with the provision of Chapter 9 of the City of Colleyville Code, and that their location, size and material correctly shown on the plat.

STATE OF TX


I haveby perfly that this inclument was FILED on this chairs and at the time stamped hereon by me and was du.

RECORDED in the Volume and Page of the Named Record of Nament County, Texas as stamped hereon by me

Joel S. Barton
Registered Professional L
Goodwin & Marshall, Inc.
2405 Mustang Drive
Grapevine, Texas 76051
metro (817) 329 - 4373

Land Surveyor 12/1/04 <u>8</u>

4914



THE SALE, RENTAL OR USE OF THE SECONGED REAL PROPERTY BECAUSE OF COLOR OR RACE IS UNENFORCEAULE INMERIOR OF COLOR OR RACE IS UNENFORCEAULE 1-6-05 95:5 COUNTY OLEPH TAPARANT COUNTY, TEXAS

wHEREAS The Planning and Zoning Commaffirmatively on this 12th day of Col PLANNING AND ZONING COMMISSION APPROVAL - day of clanuary ission of the City of Colleyville, 200∯ to approve this

FINAL PLAT

affirmatively on this Attest/Secretary, #lanning and Zoning Commission n, Planning and Zoning Commission

OLD GROVE ADDITION

BEING A REPLAT OF LOTS 45, 46X & 47X, BLOCK A
OF WHITTIER HEIGHTS, PHASE I
CABINET A, SLIDE 8667

PLAT RECORDS OF TARRANT COUNTY, TEXAS
BEING
47.080 ACRES
SITUATED IN THE
D.J. BEDDO SURVEY, ABSTRACT No. 232

MARY M. FREEMAN SURVEY, ABSTRACT No. 533

WILLIAM E. CROOK SURVEY, ABSTRACT No. 295
CITY OF COLLEYVILLE, TARRANT COUNTY, TEXAS

71 RESIDENTIAL LOTS
4 OPEN SPACES LOTS

E:\IOO28\COGO\OLDGROVE\oldgrove5th.pro Plotted: Wed Dec OI 14:32:24 2004

GOODWIN? MARSHALL


URVEYORS C 76051

SHEET 2 OF 2

THIS PLAT FILED IN CAB. -SLIDE\_

9807 DATED

2004



A-9809 D393



CITY OF COLLEYVILLE POB 185

COLLEYVILLE

TX 76034

Submitter: OLD GROVE LP

SUZANNE HENDERSON TARRANT COUNTY CLERK TARRANT COUNTY COURTHOUSE 100 WEST WEATHERFORD FORT WORTH, TX 76196-0401

## <u>DO NOT DESTROY</u> WARNING - THIS IS PART OF THE OFFICIAL RECORD.

Filed For Registration:

01/06/2005 02:56 PM

Instrument #:

D205006977

PLATA PGS

23

\$91.00

D205006977

ANY PROVISION WHICH RESTRICTS THE SALE, RENTAL OR USE OF THE DESCRIBED REAL PROPERTY BECAUSE OF COLOR OR RACE IS INVALID AND UNENFORCEABLE UNDER FEDERAL LAW.